



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## GENERAL INDEX TO VOLUME VII

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italic*; and previously published scientific names and all other matter, in ordinary type.

### A

*abietina* (*Hymenochaete*), 186  
*abietina* (*Thelephora*), 186  
*abietinum* (*Stereum*), 186, 246  
*abnormis* (*Hymenochaete*), 186  
*acerinum* (*Stereum*), 236  
*acerinum* var. *nivosum* (*Stereum*), 236  
 Acid, in relation to growth of bacteria, 251, 258, 281, 287  
*Actinomyces chromogenus*, 252  
*aculeata* (*Thelephora*), 232  
*affinis* (*Thelephora*), 96  
*affinis* (*Thelephora*), 96  
*albobadia* (*Thelephora*), 216  
*albobadium* (*Stereum*), 216, 248  
*albo-marginata* (*Peniophora*), 216  
*albo-marginata* (*Thelephora*), 216  
*Aleurodiscus subcruentatus*, 237  
 Alkali, in relation to growth of bacteria, 251, 258, 281, 287  
 Allen, E. R. On carbohydrate consumption by *Azotobacter chroococcum*, 75  
*ambigua* (*Hymenochaete*), 200  
*ambiguum* (*Stereum*), 190, 246  
*ambiguus* (*Trichocarpus*), 200  
*ambiguus* (*Xerocarpus*), 200  
*anastomosans* (*Stereum*), 115  
*anastomosans* (*Thelephora*), 115  
*annosum* (*Stereum*), 226  
 Apparatus, Millikan dew point, 53; rotating, 76  
*arcticum* (*Stereum*), 155  
*arenicolum* (*Stereum*), 232  
*areolatum* (*Stereum*), 202  
*aschistum* (*Corticium*), 203  
*Atkinsonii* (*Peniophora*), 200  
*aurantiaca* (*Podoscypha*), 96  
*aurantiaca* (*Thelephora*), 75  
*aurantiacum* (*Stereum*), 95, 240  
*Auricularia reflexa*, 150  
*australe* (*Stereum*), 141, 244  
 Autotoxin of bacteria, 250, 258, 265, 281, 287  
*Azotobacter chroococcum*, carbohydrate consumption by, 75

### B

*Bacillus aerogenes*, 252, 255, in plain and dextrose bouillon, growth and

hydrogen-ion concentration of, 275; coli, 250, in plain and dextrose bouillon, growth and hydrogen-ion concentration of, 255, 258, 281, 287; diphtheriae, 253; paratyphosis, 250; radicola, 252; subtilis, 252; typhosus, 251  
 Bacterial inhibition by metabolic products, 249  
 Balanced solutions, insoluble salts in, 307  
*balsameum* (*Stereum*), 145  
*balsameum* f. *reflexum* (*Stereum*), 145  
 Beet decoction, titration curve of, 301  
*Berkeleyi* (*Peniophora*), 203  
*Bertolonii* (*Stereum*), 169  
*bicolor* (*Stereum*), 117  
*bicolor* (*Thelephora*), 117  
*bizonatum* (*Stereum*), 216  
*Bresadolina*, 81; *pallida*, 104  
*Burtianum* (*Stereum*), 93, 240

### C

**caespitosum** (*Stereum*), 116, 244  
*calyculus* (*Stereum*), 236  
*candidum* (*Stereum*), 236  
*caperata* (*Thelephora*), 87  
*caperatum* (*Stereum*), 87, 240  
 Carbohydrate consumption, by *Azotobacter*, 75  
*carolinense* (*Stereum*), 236  
*Ceratostomella coerulea*, 71  
*Chailletii* (*Stereum*), 200, 248  
*Chailletii* (*Thelephora*), 200  
 Chambers, W. H. Studies in the physiology of the fungi. XI. Bacterial inhibition by metabolic products, 249  
*cinerascens* (*Stereum*), 203, 248  
*cinerascens* (*Thelephora*), 203  
*cinerescens* (*Peniophora*), 203  
*Cladoderis infundibuliformis*, 88  
*coffearum* (*Stereum*), 216  
*coffeatum* (*Stereum*), 117  
*complicatum* (*Stereum*), 169  
*concolor* (*Stereum*), 163  
**conicum** (*Stereum*), 179, 246  
*Coniophora cerebella*, 71  
 Corn, food reserve in, 291; nutrition experiments with, 6, 310  
*corrugata* (*Thelephora*), 181  
*Corticium aschistum*, 203; *ephebium*, 204; *lilacino-fuscum*, 229; *Nyssae*, 128;

*ochroleucum*, 235; *pezizoideum*, 121;  
*siparium*, 128; *subrepandum*, 229;  
*subzonatum*, 150  
 Cotyledons, nutritive value of the food  
 reserve in, 291  
*craspedia* (*Thelephora*), 112  
*craspedium* (Stereum), 113, 242  
*crassa* (*Hymenochaete*), 192  
*crassa* (*Thelephora*), 192  
*crassum* (Stereum), 180  
*Craterella pallida*, 104  
*crateriformis* (*Hymenochaete*), 89  
*cristatum* (Stereum), 103  
*cristulatum* (Stereum), 136  
 Crone's solution, 3, 309  
*Cryptochaete rufa*, 121  
 Culture media, liquid, titration curves  
 of, 299  
*cuneatum* (Stereum), 233  
*cupulatum* (Stereum), 179, 233  
*cyphelloides* (Stereum), 112, 242  
 Czapek's solution, titration curve of, 301

## D

*decolorans* (*Podoscypha*), 107  
*decolorans* (Stereum), 107, 242  
*decolorans* (*Thelephora*), 107  
*diaphana* (*Thelephora*), 98  
*diaphanum* (Stereum), 97, 240  
*dissita* (*Peniophora*), 203  
*dissitum* (Stereum), 203  
 Duggar, B. M. Hydrogen-ion concen-  
 tration and the composition of nutri-  
 ent solutions in relation to the growth  
 of seed plants, 1; The nutritive value  
 of the food reserve in cotyledons, 291;  
 The use of "insoluble" salts in balanced  
 solutions for seed plants, 307  
*durum* (Stereum), 226, 248

## E

**Earlei** (Stereum), 199, 248  
*elegans* (Stereum), 93, 105, 242  
*elegans* (*Thelephora*), 105, 107  
*Ellisii* (*Peniophora*), 222  
*ephebia* (*Peniophora*), 204  
*ephebium* (*Corticium*), 204  
*erumpens* (Stereum), 209, 248  
*exigua* (*Thelephora*), 99  
*exiguum* (Stereum), 99, 240

## F

*fasciatum* (Stereum), 155, 246  
*ferreum* (Stereum), 202, 248  
 Ferric citrate, value of, in culture media,  
 321  
 Ferric phosphate, soluble, value of, in  
 culture media, 321

*fimbriata* (*Hymenochaete*), 186  
*fimbriatum* (Stereum), 234  
*fissum* (Stereum), 111, 242  
*flabellata* (*Podoscypha*), 111  
*flabellatum* (Stereum), 111  
 Food reserve in cotyledons, nutritive  
 value of, 291  
*fragile* (Stereum), 233  
*frustulosa* (*Thelephora*), 227  
*frustulosum* (Stereum), 227, 248  
*fulvo-nitens* (Stereum), 91  
 Fungi, studies in the physiology of the,  
 XI, 249  
*fusca* (*Thelephora*), 117  
*fusum* (Stereum), 117, 244

## G

*Galeottii* (Stereum), 234  
*gausapata* (*Thelephora*), 136  
*gausapatum* (Stereum), 136, 244  
 Geographic distribution of Stereums, 82  
*glabrescens* (Stereum), 110, 242  
*glaucescens* (Stereum), 186  
*griseum* (Stereum), 234  
 Growth curves of bacteria, 249  
 Growth of: *Azotobacter chroococcum*, 75;  
 corn in nutrient solutions, 6, 310;  
 peas in nutrient solutions, 6; wheat  
 in nutrient solutions, 6, 309; seedlings,  
 effects of cotyledons upon, 291  
*guadelupense* (Stereum), 236

## H

*Hartmanni* (Stereum), 112, 242  
*Hartmanni* (*Thelephora*), 112  
*Haydeni* (Stereum), 236  
*Helvella pannosa*, 104; *versicolor*, 167  
*heterosporum* (Stereum), 220, 248  
*hirsuta* (*Thelephora*), 150  
*hirsuta* var. *ramealis* (*Thelephora*), 169  
*hirsutum* (Stereum), 150, 246  
*Hubertianum* (Stereum), 111  
 Humidity, in relation to moisture imbi-  
 bition by wood and to spore germina-  
 tion on wood, 51; determination of,  
 53  
 Humidors used in wood-decay experi-  
 ments, description of, 52; view of, 74  
 Hydrogen-ion concentration, and the  
 composition of nutrient solutions in  
 relation to the growth of seed plants,  
 1, 327; in relation to growth of bac-  
 teria, 252, 256, 258, 281, 287  
*hydrophorum* (Stereum), 89, 240  
*Hymenochaete abietina*, 186; *abnormis*,  
 186; *ambigua*, 200; *crassa*, 192; *crateri-*  
*formis*, 89; *fimbriata*, 186; *Kalchbren-*  
*neri*, 192; *multispinulosa*, 192; *pallida*,  
 196; *paupercula*, 216; *purpurea*, 192;

*rugispora*, 188; *scabriseta*, 192; *umbrina*, 192; *vinosa*, 192  
*Hypocrea Richardsonii*, 121

## I

*illudens* (Stereum), 225  
 Imbibition by wood, relation of, to humidity, 51  
*infundibuliformis* (Cladoderris), 88  
*insigne* (Stereum), 225, 248  
*insolitum* (Stereum), 237  
 "Insoluble" salts in balanced solutions, 307  
*intermedia* (Peniophora), 192

## K

*Kalchbrenneri* (Hymenochaete), 192  
 Karrer, J. L., and R. W. Webb. Titration curves of certain liquid culture media, 299  
*Kneiffia purpurea*, 192

## L

*lamellata* (Thelephora), 88  
*lamellatum* (Stereum), 88  
*Lenzites saepiaria*, humidity and spore germination of, 51  
*Leveillanum* (Stereum), 237  
*lilacino-fuscum* (Corticium), 229  
*lilacino-fuscum* (Stereum), 229  
*Lloydella*, 81; *occidentalis*, 204; *scabriseta*, 192; *striata*, 186  
*lobata* (Thelephora), 163, 169  
*lobatum* (Stereum), 163, 246

## M

*macrorrhiza* (Thelephora), 93  
*macrorrhizum* (Stereum), 92  
***magnisporum*** (Stereum), 207, 248  
*Mancianus* (Stereum), 237  
 Media, liquid culture, titration curves of, 299  
*Merulius lacrymans*, 71  
 Metabolic products, bacterial inhibition by, 249  
*Micheneri* (Stereum), 128, 237  
 Mineral nutrient solutions, 1, 307  
 Moisture content of wood, 54; determination of, 54  
*molle* (Stereum), 155  
*mollis* (Thelephora), 155  
*moricola* (Peniophora), 203  
*moricola* (Stereum), 203  
*multispinulosa* (Hymenochaete), 192  
*Murratii* (Thelephora), 131  
*Murrayi* (Stereum), 131, 244  
*mytilina* (Thelephora), 141

## N

*neglecta* (Peniophora), 204  
*neglectum* (Stereum), 204  
*nicaraguense* (Stereum), 196  
*nitidulum* (Stereum), 101  
 Nutrient solutions for seed plants, 1, 307  
*Nyssae* (Corticium), 128

## O

*obscura* (Peniophora), 222  
*obscura* (Thelephora), 222  
*occidentale* (Stereum), 136  
*occidentalis* (Lloydella), 204  
*occidentalis* (Peniophora), 204  
*ochracea* (Thelephora), 150  
*ochraceo-flava* (Thelephora), 183  
*ochraceo-flavum* (Stereum), 183, 246  
*ochroleucum* (Corticium), 235  
*ochroleucum* (Stereum), 148, 235  
*ostrea* (Stereum), 155  
*ostrea* (Thelephora), 155

## P

*pallida* (Bresadolina), 104  
*pallida* (Craterella), 104  
*pallida* (Hymenochaete), 196  
*pallida* (Thelephora), 104  
*pallidum* (Stereum), 104, 242  
*pannosa* (Helvella), 104  
*pannosa* (Thelephora), 104  
*papyrina* (Peniophora), 196  
*papyrinum* (Stereum), 196, 248  
***patelliforme*** (Stereum), 182, 246  
*paupercula* (Hymenochaete), 216  
*paupercula* (Peniophora), 216  
 Peas, Canada field, food reserve of, 291; nutrition experiments with, 6  
*Peniophora albo-marginata*, 216; *Atkinsonii*, 200; *Berkeleyi*, 203; *cinerescens*, 203; *dissita*, 203; *Ellisi*, 222; *ephebia*, 204; *intermedia*, 192; *moricola*, 203; *neglecta*, 204; *obscura*, 222; *occidentalis*, 204; *papyrina*, 196; *paupercula*, 216; *Schweinitzii*, 203  
 Peptone solution, titration curve of, 301  
*perdis* (Thelephora), 227  
*pergamenum* (Stereum), 101, 240  
*petalodes* (Stereum), 114, 242  
*pezizoidea* (Tubercularia), 121  
*pezizoideum* (Corticium), 121  
 Pfeffer's solution, titration curve of, 301  
*Pini* (Stereum), 123  
*Pini* (Stereum), 123, 244  
*Pini* (Thelephora), 123  
*Pinus echinata*, imbibition of wood of, 51; *palustris*, imbibition of wood of, 51  
*Pneumococcus*, 253

*Podoscypha*, 81; *aurantiaca*, 96; *decolorans*, 107; *flabellata*, 111; *radicans*, 108  
*populneum* (Stereum), 237  
*prolifera* (Thelephora), 115  
*proliferum* (Stereum), 115, 244  
*pruinatum* (Stereum), 237  
**pubescens** (Stereum), 178, 246  
*pulverulentum* (Stereum), 131  
*purpurascens* (Stereum), 204  
*purpurea* (*Hymenochaete*), 192  
*purpurea* (*Kneiffia*), 192  
*purpurea* (*Thelephora*), 124  
*purpureum* (Stereum), 124, 244  
*pusiolum* (Stereum), 109, 242

## Q

*quisquiliare* (Stereum), 95, 240  
*quisquiliaris* (*Thelephora*), 95

## R

*radicans* (Stereum), 167  
*radiatum* (Stereum), 181, 246  
*radiatum* var. *reflexum* (Stereum), 181  
*radicans* (*Podoscypha*), 108  
*radicans* (Stereum), 108, 242  
*radicans* (*Thelephora*), 108  
*rameale* (Stereum), 169, 246  
*Ravenelii* (Stereum), 90, 240  
*reflexa* (*Auricularia*), 150  
 Resin content of wood, determination of,  
   54; in relation to moisture absorption,  
   66  
 Richards' solution, titration curve of,  
   301  
*Richardsonii* (*Hypocrea*), 121  
*rigens* (Stereum), 145  
*rivulorum* (Stereum), 94  
*roseo-carnea* (*Thelephora*), 229  
*roseo-carneum* (Stereum), 229, 248  
*rufa* (*Cryptochaete*), 121  
*rufa* (*Thelephora*), 121  
*rufum* (Stereum), 120, 244  
*rugispora* (*Hymenochaete*), 188  
*rugisporum* (Stereum), 188, 248  
*rugosa* (*Thelephora*), 143  
*rugosusculum* (Stereum), 127, 244  
*rugosum* (Stereum), 142, 244

## S

Salt requirements of seed plants, 1  
*sanguinolenta* (*Thelephora*), 145  
*sanguinolentum* (Stereum), 144, 246  
**saxitax** (Stereum), 134, 244  
*scabriseta* (*Hymenochaete*), 192  
*scabriseta* (*Lloydella*), 192  
*Schweinitzii* (*Peniophora*), 203  
*scriblitum* (Stereum), 237  
 Seed plants, hydrogen ion concentration  
   and the composition of nutrient solu-

  tions in, 1; "insoluble" salts in bal-  
   anced solutions for, 307  
*sendaiense* (Stereum), 229  
**sepium** (Stereum), 215, 248  
*seriatum* (Stereum), 237  
*sericella* (*Thelephora*), 96  
*sericeum* (Stereum), 175, 246  
 Shive's solution, 3  
*siparium* (*Corticium*), 128  
 Solutions, balanced, "insoluble" salts  
   in, for seed plants, 307  
*Sowerbeyi* (Stereum), 104  
*Sowerbeyi* (*Thelephora*), 104  
*spadicea* (*Thelephora*), 136  
*spadiceum* (Stereum), 136  
*spadiceum* var. *plicatum* (Stereum), 136  
*spectabilis* (*Thelephora*), 96  
*spongiosum* (Stereum), 237  
 Spore germination on wood, 68  
*Sprucei* (Stereum), 163  
**spumeum** (Stereum), 208, 236, 248  
*Sterellum Pini*, 123  
 Stereum, 81; *abietinum*, 186, 246; *acer-*  
*inum*, 236, var. *nivosum*, 236; *albo-*  
*badium*, 216, 248; *ambiguum*, 190,  
   246; *anastomosans*, 115; *annosum*,  
   226; *arcticum*, 155; *arenicolum*, 232;  
*areolatum*, 202; *aurantiacum*, 95, 240;  
*australe*, 141, 244; *balsameum*, 145,  
   f. *reflexum*, 145; *Bertolonii*, 169; *bi-*  
*color*, 117; *bizonatum*, 216; *Burtianum*,  
   93, 240; **caespitosum**, 116, 244; *caly-*  
*culus*, 236; *candidum*, 236; *caperatum*,  
   87, 240; *carolinense*, 236; *Chailletii*,  
   200, 248; *cinerascens*, 203, 248; *cof-*  
*fearum*, 216; *coffeatum*, 117; *compli-*  
*catum*, 169; *concolor*, 163; **conicum**,  
   179, 246; *craspedium*, 113, 242; *cras-*  
*sum*, 180; *cristatum*, 103; *crustulatum*,  
   136; *cuneatum*, 233; *cupulatum*, 179,  
   233; *cyphelloides*, 112, 242; *decolor-*  
*ans*, 107, 242; *diaphanum*, 97, 240;  
*dissitum*, 203; **durum**, 226, 248; **Earl-**  
**ei**, 199, 248; *elegans*, 93, 105, 242;  
**erumpens**, 209, 248; *exiguum*, 99, 240;  
*fasciatum*, 155, 246; *ferreum*, 202, 248;  
*fimbriatum*, 234; *fissum*, 111, 242;  
*fiabellatum*, 111; *fragile*, 233; *frustu-*  
*losum*, 227, 248; *fulvo-nitens*, 91; *fus-*  
*cum*, 117, 244; *Galeottii*, 234; *gausa-*  
*patum*, 136, 244; *glabrescens*, 110,  
   242; *glaucescens*, 186; *griseum*, 234;  
*guadelupense*, 236; *Hartmanni*, 112,  
   242; *Haydeni*, 236; **heterosporum**,  
   220, 248; *hirsutum*, 150, 246; *Huberi-*  
*anum*, 111; *hydrophorum*, 89, 240;  
*illudens*, 225; *insigne*, 225, 248; *in-*  
*solitum*, 237; *lamellatum*, 88; *Leveilli-*  
*anum*, 237; *lilacino-fuscum*, 229; *lo-*  
*batum*, 163, 246; *macrorrhizum*, 92;  
**magnisporum**, 207, 248; *Mancianus*,  
   237; *Micheneri*, 128, 237; *molle*, 155;  
*moricola*, 203; *Murrayi*, 131, 244; *neg-*

*lectum*, 204; *nicaraguense*, 196; *nitidulum*, 101; *occidentale*, 136; *ochraceo-flavum*, 183, 246; *ochroleucum*, 148, 235; *ostrea*, 155; *pallidum*, 104, 242; *papyrinum*, 196, 248; **patelliforme**, 182, 246; *pergamenum*, 101, 240; *petalodes*, 114, 242; *Pini*, 123, 244; *populneum*, 237; *proliferum*, 115, 244; *pruinatum*, 237; **pubescens**, 178, 246; *pulverulentum*, 131; *purpurascens*, 204; *purpureum*, 124, 244; *pusiolum*, 109, 242; *quisquiliare*, 95, 240; *radians*, 167; *radiatum*, 181, 246; *radiatum* var. *reflexum*, 181; *radicans*, 108, 242; *rameale*, 169, 246; *Ravenelii*, 90, 240; *rigens*, 145; *rivulorum*, 94; *roseo-carneum*, 229, 248; *rufum*, 120, 244; *rugisporum*, 188, 248; *rugosiusculum*, 127, 244; *rugosum*, 142, 244; *sanguinolentum*, 144, 246; **saxitas**, 134, 244; *scriblitum*, 237; *sendaiense*, 229; **se-pium**, 215, 248; *seriatum*, 237; *sericeum*, 175, 246; *Sowerbeyi*, 104; *spadicium*, 136, var. *plicatum*, 136; *spongiosum*, 237; *Sprucei*, 163; **spumeum**, 208, 236, 248; *strumosum*, 237; *styracifluum*, 135, 244; *subcruentatum*, 237; *subpileatum*, 213, 248; *sulcatum*, 211, 248; *Sullivantii*, 98; *sulphuratum*, 148, 246; *surinamense*, 91, 240; *tenerimum*, 100, 240; *triste*, 238; *tuberculosum*, 131; *umbrinum*, 191, 248; *undulatum*, 100; *unicum*, 236; *varicolor*, 150; *versicolor*, 166, 246; *versiforme*, 222, 248; *vibrans*, 179, 246; *vorticolum*, 124; *Willeyi*, 98; *xanthellum*, 96

*Streptococcus erysipclatus*, 252; *hemolyticus*, 253; *lacticus*, 252

*striata* (*Lloydella*), 186

*striata* (*Thelephora*), 186

*striatum* (*Stereum*), 186

*strumosum* (*Stereum*), 237

Studies in the physiology of the fungi. XI, 249

*styraciflua* (*Thelephora*), 135

*styracifluum* (*Stereum*), 135, 244

*subcruentatum* (*Stereum*), 237

*subcruentatus* (*Aleurodiscus*), 237

*subpileatum* (*Stereum*), 213, 248

*subrepandum* (*Corticium*), 229

*subzonata* (*Thelephora*), 150

*subzonatum* (*Corticium*), 150

*sulcatum* (*Stereum*), 211, 248

*Sullivantii* (*Stereum*), 98

*sulphuratum* (*Stereum*), 148, 246

*surinamense* (*Stereum*), 91, 240

## T

*tenerimum* (*Stereum*), 100, 240

*Thelephora abietina*, 186; *aculeata*, 232; *affinis*, 96; *affinis*, 96; *albobadia*, 216; *albo-marginata*, 216; *anastomosans*, 115; *aurantiaca*, 75; *bicolor*, 117; *capitata*, 87; *Chailletii*, 200; *cinerascens*,

203; *corrugata*, 181; *craspedia*, 112; *crassa*, 192; *decolorans*, 107; *diaphana*, 98; *elegans*, 105, 107; *exigua*, 99; *frustulosa*, 227; *fusca*, 117; *gausapata*, 136; *Hartmanni*, 112; *hirsuta*, 150, var. *ramealis*, 169; *lamellata*, 88; *lobata*, 163, 169; *macrorrhiza*, 93; *mollis*, 155; *Murrai*, 131; *mytilina*, 141; *obscura*, 222; *ochracea*, 150; *ochraceo-flava*, 183; *ostrea*, 155; *pallida*, 104; *pannosa*, 104; *perdis*, 227; *Pini*, 123; *prolifera*, 115; *purpurea*, 124; *quisquiliaris*, 95; *radicans*, 108; *roseo-carnea*, 229; *rufa*, 121; *rugosa*, 143; *sanguinolenta*, 145; *sericella*, 96; *Sowerbeyi*, 104; *spadicea*, 136; *spectabilis*, 96; *striata*, 186; *styraciflua*, 135; *subzonata*, 150; *versicolor*, 167, var. *fasciata*, 155

Titration curves, culture media, 299

*Trichocarpus ambiguus*, 200

*triste* (*Stereum*), 238

*Tubercularia pezizoidea*, 121

*tuberculosum* (*Stereum*), 131

## U

*umbrina* (*Hymenochaete*), 192

*umbrinum* (*Stereum*), 191, 248

*undulatum* (*Stereum*), 100

*unicum* (*Stereum*), 236

## V

*varicolor* (*Stereum*), 150

*versicolor* (*Helvella*), 167

*versicolor* (*Stereum*), 166, 246

*versicolor* (*Thelephora*), 167

*versicolor* var. *fasciata* (*Thelephora*), 155

*versiforme* (*Stereum*), 222, 248

*vibrans* (*Stereum*), 179, 246

*vinosa* (*Hymenochaete*), 192

Vitamine, in relation to cotyledons, 297

*vorticolum* (*Stereum*), 124

## W

Webb, R. W., J. L. Karrer, and. Titration curves in certain liquid culture media, 299

Wheat, nutrition experiments with, 6, 309

*Willeyi* (*Stereum*), 98

Wood, imbibition in relation to humidity of, 51

Wood-destroying fungi, moisture in relation to, 51

## X

*xanthellum* (*Stereum*), 96

*Xerocarpus ambiguus*, 200

## Z

Zeller, S. M. Humidity in relation to moisture imbibition by wood and to spore germination on wood, 51